

Tarprime / Coal Tar / Polytar Sealer / Ready to Use Pavement Sealer / Staycoat JC 7 Pave Seal / Jennite / Fed Spec MSDS

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.
Date of issue: 07/31/2015 Version: 1.0

Section: Identification of the substance/mixture/undertaking

1.1. Product identifier

Product form : Mixture
Product name & code : Tarprime, Coal Tar, Polytar Sealer, Ready to Use Pavement Sealer, Staycoat JC 7 Pave Seal, Jennite, Fed Spec

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Various

1.3. Details of the supplier of the safety data sheet

8201 Arrowridge Blvd.
28273 Charlotte, NC - USA
T 800-334-0784 Tech Service: Monday - Friday; 8:00am - 5:00pm EST

1.4. Emergency telephone number

Emergency number : CHEMTREC (800) 424-9300

Section 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Sensitization 1 Germ Cell Mutagenicity 1B
Carcinogenicity 1A
Reproductive Toxicity 1B
Specific target organ toxicity — Repeated exposure, Category 1

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US) :



GHS07 GHS08

Hazard statements (GHS-US) :

: May cause an allergic skin reaction. May cause genetic defects. May cause cancer. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.

Precautionary statements (GHS-US) :

: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection if necessary. Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with all local, regional, national and international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS - US)

Tarprime: 37 % of the mixture consists of ingredient(s) of unknown acute toxicity.
Polytar Sealer & Ready to Use Pavement Sealer: 42 % of the mixture consists of ingredient(s) of unknown acute toxicity.
Staycoat JC-7 Pave Seal: 48% of the mixture consists of ingredient(s) of unknown acute toxicity.

Section 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Pitch, coal tar, high-temperature	(CAS No) 65996-93-2	10 - 30	Carc. 1A, H350
Quartz	(CAS No) 14808-60-7	5 - 10	Acute Tox. 4 (Oral), H302 Carc. 1A, H350 STOT RE 1, H372
Titanium dioxide	(CAS No) 13463-67-7	0.1-1	Acute Tox. 4 (Inhalation), H332 Carc. 2, H351
Naphthalene	(CAS No) 91-20-3	0.1-1	Acute Tox. 4 (Oral), H302 Carc. 2, H351
Benz[a]anthracene	(CAS No) 56-55-3	0.1-1	Carc. 2, H351
Chrysene	(CAS No) 218-01-9	0.1-1	Carc. 2, H351 Muta. 2, H341
Indeno(1,2,3-cd)pyrene	(CAS No) 193-39-5	0.1-1	Carc. 2, H351
9H-Carbazole	(CAS No) 86-74-8	0.1-1	Muta. 2, H341 Carc. 2, H351
Dibenzo(a,h)pyrene	(CAS No) 189-64-0	0.1-1	Muta. 2, H341 Carc. 1B, H350
Benzo(j)fluoranthene	(CAS No) 205-82-3	0.1-1	Carc. 2, H351
Benzo(b)fluoranthene	(CAS No) 205-99-2	0.1-1	Carc. 2, H351
Benzo(k)fluoranthene	(CAS No) 207-08-9	0.1-1	Carc. 2, H351
Benzo(a)pyrene	(CAS No) 50-32-8	0.1-1	Skin Sens. 1, H317 Carc. 1A, H350 Muta. 1B, H340 Repr. 1B, H360FD

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of § 10.1200.

Section 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

Section 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Treat for surrounding material. Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.

5.3. Advice for firefighter

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Protective equipment : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.1.1. For non-emergency personnel

No additional information available

6.2. Methods and material for containment and cleaning

For containment : Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up : Scoop up material and place in a disposal container.

6.3. Reference to other sections

No additional information available

Section 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands before eating, drinking, or smoking. Launder contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed.

Incompatible materials : None known.

7.3. Specific end use(s)

Not available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Pitch, coal tar, high-temperature (65996-93-2)		
USA ACGIH	ACGIH TWA (mg/m ³)	0.2 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	0.2 mg/m ³ (benzene fraction)

Quartz (14808-60-7)		
USA ACGIH	ACGIH TWA (mg/m ³)	0.025 mg/m ³

Naphthalene (91-20-3)		
USA ACGIH	ACGIH TWA (ppm)	10 ppm
USA ACGIH	ACGIH STEL (ppm)	15 ppm
USA OSHA	OSHA PEL (TWA) (mg/m ³)	50 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	10 ppm

Titanium dioxide (13463-67-7)		
USA ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³

Chrysene (218-01-9)		
USA OSHA	OSHA PEL (TWA) (mg/m ³)	0.2 mg/m ³

Benzo(a)pyrene (50-32-8)		
USA OSHA	OSHA PEL (TWA) (mg/m ³)	0.2 mg/m ³

8.2. Exposure controls

Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Hand protection	: Wear suitable gloves..
Eye protection	: Safety glasses or goggles are recommended when using product.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : No data available.

Odour : No data available.

Odour threshold : No data available.

available. pH : No data

Relative evaporation rate (butylacetate=1) : No data available.

Melting point : No data available.

Freezing point : No data available.

Boiling point : No data available.

Flash point : No data available.

Self ignition temperature : No data available.

Decomposition temperature : No data available.

Flammability (solid, gas) : Not flammable.

Vapour pressure : No data available.

Relative vapour density at 20 °C : No data available.

Relative density : No data available.

Solubility : No data available.

Log Pow : No data available.

Log Kow : No data available.

Viscosity, kinematic : No data available.

Viscosity, dynamic : No data available.

Explosive properties : No data available.

Oxidising properties : No data available.

Explosive limits : No data available.

9.2. Other information

VOC content : > 50 g/L

Section 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Incompatible materials

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

Section 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Based on available data, the classification criteria are not met.

Quartz (14808-60-7)	
LD50 oral rat	500 mg/kg

Naphthalene (91-20-3)	
LD50 dermal rabbit	> 20 g/kg
LC50 inhalation rat (mg/l)	> 340 mg/m ³ (1 h)

Titanium dioxide (13463-67-7)	
LD50 oral rat	> 10000 mg/kg

9H-Carbazole (86-74-8)	
LD50 oral rat	> 5000 mg/kg

Tarprime / Coal Tar / Polytar Sealer / Ready to Use Pavement Sealer / Stycoat JC 7 Pave Seal / Jennite / Fed Spec	
ATE (oral)	> 2000 mg/kg
ATE (dermal)	4383 mg/kg
ATE (inhalation)	> 20 mg/L (4 h)

Skin corrosion/irritation : Based on available data, the classification criteria are not met.
 Serious eye damage/irritation : Based on available data, the classification criteria are not met.
 Respiratory or skin sensitisation : May cause an allergic skin reaction.
 Germ cell mutagenicity : May cause genetic defects.
 Carcinogenicity : May cause cancer.

Pitch (Coal tar, high-temperature (65996-93-2))	
IARC group	1
National Toxicity Program (NTP) Status	2

Quartz (14808-60-7)	
IARC group	1
National Toxicity Program (NTP) Status	2

Naphthalene (91-20-3)	
IARC group	2B
National Toxicity Program (NTP) Status	1, 3

Titanium dioxide (13463-67-7)	
IARC group	2B
National Toxicity Program (NTP) Status	1

Benz[a]anthracene (56-55-3)	
IARC group	2B
National Toxicity Program (NTP) Status	3

Indeno(1,2,3-cd)pyrene (193-39-5)	
IARC group	2B
National Toxicity Program (NTP) Status	3

Chrysene (218-01-9)	
IARC group	2B

Benzo(b)fluoranthene (205-99-2)	
IARC group	2B
National Toxicity Program (NTP) Status	3

Benzo(a)pyrene (50-32-8)	
IARC group	1
National Toxicity Program (NTP) Status	3

9H-Carbazole (86-74-8)	
IARC group	2B

Dibenzo(a,h)pyrene (189-64-0)	
IARC group	2B
National Toxicity Program (NTP) Status	3

Benzo(j)fluoranthene (205-82-3)	
IARC group	2B
National Toxicity Program (NTP) Status	3

Benzo(k)fluoranthene (207-08-9)	
IARC group	2B
National Toxicity Program (NTP) Status	3

Reproductive toxicity
Specific target organ toxicity (single exposure)

: May damage fertility or the unborn child.
: Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure) : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Based on available data, the classification criteria are not met.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Section 12: Ecological information

12.1. Toxicity
 Ecology - general : May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Tarprime / Coal Tar / Polytar Sealer / Ready to Use Pavement Sealer / Staycoat JC 7 Pave Seal / Jennite / Fed Spec	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Tarprime / Coal Tar / Polytar Sealer / Ready to Use Pavement Sealer / Staycoat JC 7 Pave Seal / Jennite / Fed Spec	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

Section 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

Section 14: Transport Information

In accordance with DOT

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Additional information

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

Section 15: Regulatory information

15.1. US Federal regulations

Pitch, coal tar, high temperature (80000-00-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Quartz (14808-60-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Naphthalene (91-20-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on SARA Section 313 (Specific toxic chemical listings)	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.
SARA Section 313 - Emission Reporting	0.1 %
Titanium dioxide (13463-67-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Benz[a]anthracene (56-55-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on SARA Section 313 (Specific toxic chemical listings)	
SARA Section 313 - Emission Reporting	0.1 %
Indeno(1,2,3-cd)pyrene (193-39-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on SARA Section 313 (Specific toxic chemical listings)	
SARA Section 313 - Emission Reporting	0.1 %
Chrysene (218-01-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on SARA Section 313 (Specific toxic chemical listings)	
SARA Section 313 - Emission Reporting	1.0 %
Benzo(b)fluoranthene (205-99-2)	
Listed on SARA Section 313 (Specific toxic chemical listings)	
SARA Section 313 - Emission Reporting	0.1 %
Benzo(a)pyrene (50-32-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on SARA Section 313 (Specific toxic chemical listings)	
SARA Section 313 - Emission Reporting	0.1 %
9H-Carbazole (86-74-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Dibenzo(a,h)pyrene (189-64-0)	
Listed on SARA Section 313 (Specific toxic chemical listings)	
SARA Section 313 - Emission Reporting	0.1 %
Benzo(j)fluoranthene (205-82-3)	
Listed on SARA Section 313 (Specific toxic chemical listings)	
SARA Section 313 - Emission Reporting	0.1 %
Benzo(k)fluoranthene (207-08-9)	
Listed on SARA Section 313 (Specific toxic chemical listings)	
SARA Section 313 - Emission Reporting	0.1 %

14.3. State Regulations

Tarprime / Coal Tar / Polytar Sealer / Ready to Use Pavement Sealer / Staycoat JC 7 Pave Seal / Jennite / Fed Spec	
State or local regulations	This product contains Crystalline Silica, Quartz and may also contain trace amounts of other chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Section 16: Other Information

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product